

GEBERIT ALPHA CISTERNS

NEW ARRAY OF FUNCTIONS

The range of the Geberit Alpha cisterns has been improved and the application fields widened:

- Top and front actuation
- Two installation heights possible
- Water connection in two positions possible: at the back or at the side
- Easier maintenance accessibility



PREMIUM QUALITY

The sustainably produced and long-lasting products are highly durable and leak-proof. Geberit's cisterns and actuators stand for premium quality.



EASY TO CLEAN

A wall-hung toilet ensures easy and efficient cleaning and makes your bathroom more hygienic.



FULLY EQUIPPED

The Geberit Alpha cisterns are equipped with a high-end flush valve and a. No need to buy extras. Brackets for the inwall installation are also included.



SPARE PARTS AVAILABILITY

The availability of functional spare parts is guaranteed for 50 years, providing long-term operational safety.



WATER SAVING BY DUAL FLUSH TECHNOLOGY

The reliable components inside the cistern allow you to adjust the flush volume for two amounts of water. The big flush can be easily adjusted from 6 to 4.5 litres, the small flush volume is 3 litres.



TOP OR FRONT ACTUATION

For low-height situations Geberit Alpha cisterns offer the possibility to choose a top or front actuation.



CONSTRUCTION WITHSTANDS WEIGHTS OF 400 KG

There is no risk of the wall-hung toilet coming away from the wall as the construction is tested to bear a weight of 400 kg.



CLEAR DESIGN IN FRONT OF THE WALL

The Geberit Alpha actuator plates are all offering dual flush technology. The classic variety of colours and forms is lean and making sure that there is an actuator plate for every bathroom.




Geberit actuator plate Alpha01 round,
Geberit Senya WC, bidet ceramic and half
pedestal, Geberit Option Basic mirror

GEBERIT ALPHA ACTUATOR PLATES:

FEATURES

- Dual flush
- 213 mm x 142 mm
- Material: plastic

ALPHA01 ROUND	ALPHA01 SQUARE	ALPHA25 ROUND	ALPHA25 SQUARE	ALPHA50 SQUARE
---------------	----------------	---------------	----------------	----------------

 → 115.035.11.1 white alpine	 → 115.055.11.1 white alpine	 → 115.040.11.5 white alpine	 → 115.045.11.5 white alpine	 → 115.060.11.1 white alpine
 → 115.035.21.1 bright chrome	 → 115.055.21.1 bright chrome	 → 115.040.21.5 bright chrome	 → 115.045.21.5 bright chrome	 → 115.060.DW.1 black
 → 115.035.46.1 matt chrome	 → 115.055.46.1 matt chrome	 → 115.040.46.5 matt chrome	 → 115.045.46.5 matt chrome	
 → 115.035.14.1 black matt	 → 115.055.14.1 black matt			
 → 115.035.QC.1 black chrome	 → 115.055.QC.1 black chrome			
 → 115.035.QA.1 red gold	 → 115.055.QA.1 red gold			
 → 115.035.QE.1 brass	 → 115.055.QE.1 brass			



Geberit actuator plate Alpha50 square →



Geberit actuator plate Alpha50 square, Geberit Smyle WC ceramic, washbasin, furniture and cabinet, Geberit Option mirror, Geberit shelf with three hooks for towels



Geberit actuator plate Alpha25 square, Geberit Senya WC ceramic and bidet



VERSATILE BATHROOM DESIGN

Geberit actuator plate Alpha50 square, Geberit Selinova Square WC ceramic, mirror cabinet, washbasin and bathroom cabinets.


INSTALLATION OPTIONS

GEBERIT KOMBIFIX: SOLID WALL INSTALLATION




Geberit Kombifix installation elements are exclusively suitable for solid construction. They must be fastened in front of or inside a solid wall and then subsequently brick lined.

GEBERIT DUOFIX: DRYWALL INSTALLATION




Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system. It is possible to create complete room-height prewalls or partition walls.

STANDARD HEIGHT WITH FRONT ACTUATION



LOW HEIGHT WITH TOP OR FRONT ACTUATION




CONCEALED CISTERNS OVERVIEW

GEBERIT ALPHA AT ONE GLANCE



Article number	458.233.00.3	458.212.00.2	458.175.00.2	110.233.00.1 110.231.00.1*	110.212.00.1	110.175.00.1 110.174.00.1*	109.233.00.1**	109.212.00.1	109.175.00.1**
Cistern thickness***	12 cm	12 cm	8 cm	12 cm	12 cm	8 cm	12 cm	12 cm	8 cm
Cistern height	112 cm	82 cm	114 cm	106 cm	82 cm	109 cm	110 cm	82 cm	110 cm
For solid construction	x	x	x	x	x	x	x	x	x
For drywall construction	x	x	x						
Wall-hung-ready (fixation for wall-hung ceramic included)	x	x	x	x	x	x			
For top and front actuation		x	x		x			x	

Dimensions



* With leg supports
 ** Can be cut to length
 *** Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.